

OLYMPUS


Your Vision, Our Future

UROLOGY


Morcellator Telescope

for Enucleation Procedures

SIMPLIFY MORCELLATION



UNIQUE FLO



INNOVATIVE TIP

BENEFITS

- **Optimized flow for easy catching of tissue parts**
- **High inflow to avoid bladder collapse, decreased risk of bladder wall perforation**
- **Shorter morcellation and procedure time**

THE PROCEDURE


Enucleation procedures for the treatment of BPH, such as HoLEP for example, become more and more popular.

However, challenges still remain for the morcellation of enucleated tissue parts.

The new dedicated morcellation telescope simplifies the morcellation and allows easy catching of tissue parts.

W CONCEPT

DESIGN




TECHNICAL FACTS

- 0° direction of view with superior image quality
- Working channel for morcellators up to 5 mm diameter
- Compatible with standard Olympus rotatable outer sheath

THE FLOW CONCEPT

The special tip design with applied patent leads to a circulating flow. This almost automatically pushes tissue parts in the right position and enables a fast and safe morcellation.

Additionally, both stop-cocks can be used for a high inflow, which also decreases the risk of bladder wall perforation.



INSTRUMENTS FOR ENUCLEATION PROCEDURES

Morcellator Telescope

WA31000A OP telescope,
0° direction of view,
5 mm working channel



Delivery includes:
Telescope, attachment WA31001A,
3 spare valves, 3 sealing caps

WA31001A Attachment,
with automatic valve,
spare for WA31000A,
includes 3 spare valves and 3 sealing caps



A4559 Valve,
transparent,
10 pcs.




A5857 Sealing cap,
3 mm, red,
10 pcs.



Working Element

A22065A Working element



Diameter of working channel 6 Fr.
Minimal length of injection needle... 350 mm
Recommended diameter
of laser probes 1.2 mm

A00561A Guiding tube,
for 1.2 mm laser probes,
with retractor




A00562A Guiding tube,
for 1.2 mm laser probes



Sheaths

Outer sheath,
2 stopcocks,
rotatable,
A22026A 26 Fr.
A22021A 27 Fr.
A22022A 28 fr.




Light-Guide Cable and Adapter


WA03200A Light-guide cable,
size S,
plug type,
3 m



A0460 Light-guide adapter,
for OES 4000 light-guide cable
O0332 for Wolf light-guide cable



System Chart



OLYMPUS

Published by
OLYMPUS WINTER & IBE GMBH

Kuehnstraße 61, 22045 Hamburg, Germany

Distributed by
OLYMPUS MEDICAL SYSTEMS CORPORATION
OLYMPUS MEDICAL SYSTEMS EUROPA GMBH
OLYMPUS AMERICA INC.
KEYMED (MEDICAL & INDUSTRIAL EQUIPMENT) LTD.
OLYMPUS SINGAPORE PTE LTD.
OLYMPUS MOSCOW LIMITED LIABILITY COMPANY
OLYMPUS AUSTRALIA PTY. LTD.
OLYMPUS LATIN AMERICA INC.
OLYMPUS KOREA CO., LTD.
OLYMPUS (BEIJING) SALES & SERVICE, CO., LTD.

2951 Ishikawa-cho, Hachioji-shi, Tokyo 192-8507, Japan
Wendenstraße 14-18, 20097 Hamburg, Germany
3500 Corporate Parkway, P.O. Box 610, Center Valley, PA 18034-0610, U.S.A.
KeyMed House, Stock Road, Southend-on-Sea, Essex SS2 5QH, United Kingdom
491B, River Valley Road #12-01/04, Valley Point Office Tower, Singapore 248373, Singapore
117071, Moscow, Malaya Kaluzhskaya 19, bld. 1, fl.2, Russia
31 Gilby Road, Mount Waverley, Victoria 3149, Australia
5301 Blue Lagoon Drive, Suite 290 Miami, FL 33126-2097, U.S.A.
4F, Gyeongam Bldg., 157-27, Samseong-Dong, Kangnam-Gu, Seoul 135-090, Korea
R1202, NCI Tower, A12 Jianguomenwai Dajie, Chaoyangqu Beijing 100022, China